

XI'AN FUNCTION MATERIAL GROUP CO., LTD

Material Safety Data Sheet Hafnium Sulfide

1. Product and Company Identification

Trade Name: Hafnium Sulfide

Chemical Formula: HfS₂

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XI'AN
State: Shaanxi
Zip Code: 710077
Country: China

Tel #: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word: Warning



Hazard Statements: H315: Causes skin irritation

H319: Causes serious eye irritation H335: May cause respiratory irritation

Precautionary Statements:

P261: Avoid breathing dust/fume/vapor

P262: Do not get in eyes, on skin, or on clothing

P280: Wear protective gloves/protective clothing/eye protection/face

protection

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do –

continue rinsing

 $P304 + P340: IF\ INHALED:\ Remove\ victim\ to\ fresh\ air\ and\ keep\ at\ rest$

in a position comfortable for breathing

P403+P233: Store in a well-ventilated place. Keep container tightly

closed

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 1 Flammability: 0 Physical: 2

3. Composition		
Chemical Family: Additional Names:	Ceramic Hafnium disulfide	
Additional Names.	Trainium disuride	
Hafnium Sulfide (HfS ₂):	100	
Percentage: CAS #:	100 wt% 18855-94-2	
EC #:	234-885-1	
	4. First Aid Procedures	
General Treatment:	Seek medical attention if symptoms persist.	
Special Treatment:	None	
Important Symptoms:	None	
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.	
Ingestion:	Never induce vomiting or give anything by mouth to an unconscious	
Skin:	person. If symptoms persist consult a doctor. Wash affected area with mild soap and water. Remove any	
Skiii.	contaminated clothing.	
Eyes:	Flush eyes with water, blinking often for several minutes. Remove	
	contact lenses if present and easy to do. Continue rinsing	
	5. Firefighting Measures	
Flammability:	Non-flammable, except as powder	
Extinguishing Media: Spec. Fire Fighting Procedure:	Do not use water for metal fires – use CO ₂ , sand, extinguishing powder. Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.	
	6. Accidental Release Measures	
If Material Is Released/Spilled: Environmental Precautions:	Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust. Isolate runoff to prevent environmental pollution.	
Environmental Frecautions.	Isolate fulloif to prevent environmental ponution.	
	7. Handling and Storage	
Handling Conditions:	Wash thoroughly after handling.	
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from	
Work/Hygienic Maintenance:	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before	
work/rrygieme maintenance.	eating and smoking. Do not blow dust off clothing or skin with compressed air.	
Ventilation:	Provide sufficient ventilation to maintain concentration at or below threshold limit.	

8. Exposure Controls and Personal Protection		
Permissible Exposure Limits:	N/A	
Threshold Limit Value:	N/A	
Special Equipment:	None	
Respiratory Protection:	Dust Respirator	
Protective Gloves:	Rubber gloves	
Eye Protection:	Safety glasses with tight sealing	
Body Protection:	Protective work clothing. Wear close-toed shoes and long	
,	sleeves/pants.	
9. Phy	vsical and Chemical Characteristics	
Color	Purple- brown	
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts	
Odor:	Sulfurous	
Water Solubility:	Insoluble	
Boiling Point:	N/A	
Melting Point:	N/A	
Flash Point:	N/A	
Autoignition Temperature:	N/A	
Density:	6.00 g/cc	
Molecular weight:	242.62 g/mol	
	10. Reactivity	
Stability:	Stable under recommended storage conditions	
Reacts With:	Water, Oxidizing agents	
Incompatible Conditions:	Water	
Hazardous Decomposition Products:	Metal oxide fume, Sulfur oxides	
	11. Toxicological Information	
Potential Health Effects:	Causes irritation	
Eyes: Skin:		
	Causes irritation	
Ingestion:	May cause irritation	
Inhalation:	May cause irritation	
Chronic:	N/A	
Signs & Symptoms:	N/A	
Aggravated Medical Conditions:	N/A	
Median Lethal Dose:	N/A	
Carcinogen:	N/A	
	12. Ecological Information	
A 41 TD 114		
Aquatic Toxicity:	N/A	
Persistent Bioaccumulation Toxicity:	N/A N/A	
Very Persistent, Very Bioaccumulative: Notes:	N/A N/A	

Dispose of in accordance with local, state, national, and international regulations.

Hazardous:	Not hazardous for transportation.	
Hazard Class:	N/A	
Packing Group:	N/A	
UN Number:	N/A	
Proper Shipping Name:	N/A	
	15. Regulatory Information	
Sec 302 Extremely Hazardous:	N/A	
Sec 304 Reportable Quantities:	N/A	
Sec 313 Toxic Chemicals:	N/A	

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 01/08/2017