

XI'AN FUNCTION MATERIAL GROUP CO., LTD

Material Safety Data Sheet Lithium Selenide

1 Draduct and Company Identification

1. Product and Company Identification

Trade Name: Lithium Selenide

Chemical Formula: Li₂Se

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XI'AN
State: Shaanxi
Zip Code: 710077
Country: China

Tel #: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word: Danger









Hazard Statements: H261 In contact with water releases flammable gases

H301 + H331 Toxic if swallowed or if inhaled

H373 May cause damage to organs through prolonged or repeated exposure

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements: P223 Keep away from any possible contact with water, because of

violent reaction and possible flash fire.

 $P231 + P232 \ Handle \ under \ inert \ gas. \ Protect \ from \ moisture \\ P260 \ Do \ not \ breathe \ dust/ \ fume/ \ gas/ \ mist/ \ vapours/ \ spray.$

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/doctor

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest

in a position comfortable for breathing

P314 Get medical advice/ attention if you feel unwell

HMIS Health Ratings (0-4):

Health: 2 Flammability: 3 Physical: 1

3. Composition	
Chemical Family: Additional Names:	Ceramic Dilithium Selenide, Lithium selenidolithium
Lithium Selenide (Li ₂ Se):	
Percentage:	100 wt%
CAS #:	12136-60-6
EC #:	235-230-2
	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Never induce vomiting or give anything by mouth to an unconscious
~	person.
Skin:	Wash affected area with mild soap and water. Remove any contaminated clothing. Seek immediate medical attention.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove
	contact lenses if present and easy to do. Continue rinsing
	5. Firefighting Measures
Flammability:	Flammable in contact with water
Extinguishing Media: Spec. Fire Fighting Procedure:	Do not use water – use CO ₂ , sand, extinguishing powder. Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.
	7. Handling and Storage
Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from
W 1/W · · · · · · · · · · · ·	materials and conditions listed in section 10.
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before
	eating and smoking. Do not blow dust off clothing or skin with
Ventilation:	compressed air. Provide sufficient ventilation to maintain concentration at or below
· Chalanon.	threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 0.2 mg/m³ as Li₂Se, long-term value Threshold Limit Value: 0.2 mg/m³ as Li₂Se, long-term value

Special Equipment: None

Respiratory Protection: Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a

backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government

standards.

Protective Gloves: Rubber gloves

Eye Protection: Safety glasses or goggles, Full face protection

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics

Color Brown

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Odor: N/A
Water Solubility: N/A
Boiling Point: N/A
Melting Point: N/A
Flash Point: N/A
Autoignition Temperature: N/A
Density: N/A

Molecular weight: 92.842 g/mol

10. Reactivity

Stability: Stable under recommended storage conditions

Reacts With: Water, Oxidizing agents

Incompatible Conditions: Moisture

Hazardous Decomposition Products: Metal oxide fume

11. Toxicological Information

Potential Health Effects:

Eyes: Causes irritation
Skin: Causes irritation

Ingestion: Toxic Inhalation: Toxic

Chronic: May cause damage to organs through prolonged or repeated exposure

Signs & Symptoms: N/A
Aggravated Medical Conditions: N/A

Median Lethal Dose: N/A

Carcinogen: N/A

12. Ecological Information

Aquatic Toxicity: High
Persistent Bioaccumulation Toxicity: No
Very Persistent, Very Bioaccumulative: No

Very Persistent, Very Bioaccumulative: Notes:

Very toxic for aquatic organism.

May cause long lasting harmful effect on aquatic life.

Do not allow material to be released to the environment without proper

governmental permits.

Do not allow product to reach any water sources.

Danger to drinking water if even extremely small quantities leak into

the ground.

Also poisonous for fish and plankton in water bodies.

Do not allow undiluted product or large quantities to reach ground

water, water course or sewage system. Avoid transfer into the environment.

Toxic to aquatic life.

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous for transportation.







Hazard Class: 4.3 Substances which, in contact with water, emit flammable gases

Secondary Class: 6.1 Toxic substances

Packing Group: PG II UN Number: UN3134

Proper Shipping Name: Water-reactive solid, toxic, n.o.s. (Lithium Selenide)

15. Regulatory Information

Sec 302 Extremely Hazardous:

Sec 304 Reportable Quantities:

N/A

Sec 313 Toxic Chemicals:

Yes

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 06/08/2017