

## XI'AN FUNCTION MATERIAL GROUP CO., LTD

Material Safety Data Sheet Molybdenum Phosphide

Product and		

Trade Name: Molybdenum phophide

Chemical Formula: MoP

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XI'AN
State: Shaanxi
Zip Code: 710077
Country: China

Tel #: +86-29-88993870/+86-13519132051

## 2. Hazards Identification

Signal Word: Warning



Hazard Statements: H319 Causes serious eye irritation.

H335: May cause respiratory irritation

Precautionary Statements: P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face

protection

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest

in a position comfortable for breathing

P405: Store locked up

P501: Dispose of contents/container in accordance with

 $local/regional/national/international\,regulations$ 

HMIS Health Ratings (0-4):

Health: 1 Flammability: 0 Physical: 1

## 3. Composition

Chemical Family: Ceramic Additional Names: None

Molybdenum phosphide (MoP):

Percentage: 100 wt% CAS #: 12163-69-8 EC #: 235-312-8

4. First Aid Procedures General Treatment: Seek medical attention if symptoms persist. Special Treatment: None Important Symptoms: None Remove victim to fresh air. Supply oxygen if breathing is difficult. Inhalation: Seek Medical Attention. Ingestion: Skin: Wash affected area with mild soap and water. Remove any contaminated clothing. Flush eyes with water, blinking often for several minutes. Remove Eyes: contact lenses if present and easy to do. Continue rinsing 5. Firefighting Measures Flammability: Non-flammable, except as powder Extinguishing Media: Do not use water for metal fires – use CO<sub>2</sub>, sand, extinguishing powder. Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products. 6. Accidental Release Measures If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust. Isolate runoff to prevent environmental pollution. **Environmental Precautions:** 7. Handling and Storage Handling Conditions: Wash thoroughly after handling. Store in a cool dry place in a tightly sealed container. Store apart from **Storage Conditions:** materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before Work/Hygienic Maintenance: eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below Ventilation: threshold limit. 8. Exposure Controls and Personal Protection Permissible Exposure Limits: 10 mg/m<sup>3</sup> as Mo, long-term value Threshold Limit Value: 15 mg/m<sup>3</sup> as Mo, long-term value Special Equipment: None Respiratory Protection: **Dust Respirator Not required** Protective Gloves: Rubber gloves Not required Eve Protection: Safety glasses or goggles

sleeves/pants.

Protective work clothing. Wear close-toed shoes and long

**Body Protection:** 

9. Phy	vsical and Chemical Characteristics		
Color	Grey		
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts		
Odor:	Odorless Insoluble N/A N/A N/A N/A N/A		
Water Solubility:			
Boiling Point:			
Melting Point:			
Flash Point:			
Autoignition Temperature:			
Density:	6.17 g/cc		
Molecular weight:	126.91 g/mol		
	10. Reactivity		
Stability:	Stable under recommended storage conditions		
Reacts With:	Oxidizing agents		
Incompatible Conditions:	None		
Hazardous Decomposition Products:	Metal oxide fume		
	11. Toxicological Information		
Potential Health Effects:			
Eyes:	Cause serious irritation		
Skin:	Causes irritation		
Ingestion:	May cause irritation		
Inhalation:	May cause irritation		
Chronic:	Inorganic phosphorus compounds may cause irritation and		
	hemorrhages in the stomach as well as liver and kidney damage. Bone		
	structure may be attacked, especially the jaw and teeth.		
	Acute molybdenum poisoning may cause severe gastrointestinal		
	irritation, diarrhea, coma and death from cardiac failure. Chronic		
	molybdenum poisoning in laboratory animals has caused loss of		
	weight, anorexia, anemia, deficient lactation, male sterility,		
	osteoporosis and bone joint abnormalities.		
Signs & Symptoms:	N/A		
Aggravated Medical Conditions:	N/A		
Median Lethal Dose:	N/A		
Carcinogen:	N/A		
	12. Ecological Information		
Aquatic Toxicity:	Low		
Persistent Bioaccumulation Toxicity:	No		
Very Persistent, Very Bioaccumulative:			
Notes:	N/A		
	13. Disposal Considerations		

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data				
Hazardous:	Not hazardous for transportation.			
Hazard Class:	N/A			
Packing Group:	N/A			
UN Number:	N/A			
Proper Shipping Name:	N/A			
	15. Regulatory Information			
Sec 302 Extremely Hazardous:	No			
Sec 304 Reportable Quantities:	N/A			
Sec 313 Toxic Chemicals:	No			

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 07/13/2016