

XI'AN FUNCTION MATERIAL GROUP CO., LTD Safety Data Sheet Lead Dioxide

1. Product and Company Identification	
Trade Name:	Lead dioxide
Chemical Formula:	PbO ₂
Manufacturer/Supplier:	XI'AN FUNCTION MATERIAL GROUP CO., LTD No.
Street:	69, Gazelle Valley, High-Tech Zone
City:	XI'AN
State:	Shaanxi
Zip Code:	710077
Country: Tel #:	China +86-29-88993870/+86-13519132051
	2. Hazards Identification
Signal Word:	Danger
Hazard Statements:	H272: May intensify fire; oxidizer H302+H332: Harmful if swallowed or if inhaled H360: May damage fertility or the unborn child H373: May cause damage to organs through prolonged or repeated
Precautionary Statements:	P221: Take any precaution to avoid mixing with combustibles
	P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking P260: Do not breathe dust/fume/gas/mist/vapours/spray P304+P340: IF INHALED: Remove victim to fresh air and keep at res
	in a position comfortable for breathing
	P405: Store locked up
	P501: Dispose of contents/container in accordance with
	local/regional/national/international regulations
HMIS Health Ratings (0-4):	
Health:	2
Flammability:	0
Physical:	2
	3. Composition
Chemical Family:	Ceramic
Additional Names:	Lead oxide
Lead dioxide (PbO ₂):	
Percentage:	100 wt%
CAS #:	1309-60-0
EC #:	215-174-5

	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Give one to two glasses of water and induce vomiting. Never induce
~	vomiting or give anything by mouth to an unconscious person.
Skin:	Wash affected area with mild soap and water. Remove any contaminated clothing.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove
	contact lenses if present and easy to do. Continue rinsing
	5. Firefighting Measures
Flammability:	Oxidizer, may cause fire in contact with other materials
Extinguishing Media:	No special restrictions.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective
	clothing to prevent contact with skin and eyes. See section 10 for
	decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in
	special protection information. Isolate spill area and provide
	ventilation. Vacuum up spill using a high efficiency particulate
	absolute (HEPA) air filter and place in a closed container for disposal Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.
	7. Handling and Storage
Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from
	materials and conditions listed in section 10.
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with
	compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below
	threshold limit.
8.	Exposure Controls and Personal Protection
Permissible Exposure Limits:	0.05 mg/m ³ as Pb, long-term value
Threshold Limit Value:	0.05 mg/m ³ as Pb, long-term value
Special Equipment:	None
Respiratory Protection:	Dust Respirator
Protective Gloves:	Rubber gloves
Eye Protection:	Safety glasses or goggles
Body Protection:	Protective work clothing. Wear close-toed shoes and long sleeves/pants.
	sice ves/pains.

9. P	hysical and Chemical Characteristics
Color	Brown/black
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	Odorless
Water Solubility:	Insoluble
Boiling Point:	N/A
Melting Point:	290 °C
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	9.38 g/cc
Molecular weight:	239.19 g/mol
	10. Reactivity
Stability:	Stable under recommended storage conditions
Reacts With:	Reducing agents, Flammable substances, Metal powders, Organia
	materials
Incompatible Conditions:	None
Hazardous Decomposition Products:	Metal oxide fume
	11. Toxicological Information
Potential Health Effects:	
Eyes:	May cause irritation
Skin:	May cause irritation
Ingestion:	May cause irritation
Inhalation:	May cause irritation
Chronic:	N/Å
Simo & Summer and	NVA
Signs & Symptoms:	N/A N/A
Aggravated Medical Conditions:	N/A
Median Lethal Dose:	N/A

 ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by routes of administration, at sites, of histologic types, or by mechanisms not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or level of exposure. NTP-R: Reasonably anticipated to be a carcinogen, limited evidence of carcinogenicity from epidemiologic studies. EPA-B2: Probable human carcinogen, sufficient evidence from animal studies; inadequate evidence or no data from epidemiologic studies. IARC-2A: Probably carcinogenic to humans: limited human evidence; sufficient evidence in experimental animals.
12. Ecological Information
High No No Very toxic for aquatic organism. May cause long lasting harmful effect on aquatic life. Do not allow material to be released to the environment without proper governmental permits. Danger to drinking water if in extremely small quantities.
13. Disposal Considerations
e, national, and international regulations.
14. Transportation Data
Hazardous for transportation
OXIDIZER 5.1
5.1 Oxidizing substances
III
UN1872
Lead dioxide
15. Regulatory Information
No
No N/A

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: